

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier**

- Trade name INTEROX® 35-20

**1.2 Relevant identified uses of the substance or mixture and uses advised against****Uses of the Substance/Mixture**

- Bleaching agents
- Chemical industry
- Electronic industry
- Metal treatment
- Odour agents
- Oxidizing agents
- Textile industry
- Water treatment
- Manufacture of pulp, paper and paper products

**1.3 Details of the supplier of the safety data sheet****Company**

SOLVAY CHEMICALS INTERNATIONAL SA  
RUE DE RANSBEEK, 310  
1120, BRUXELLES  
BELGIUM  
Tel: +32-2-2642111  
Fax: +32-2-2641802

PEROXIDOS DO BRASIL Ltda  
RUA JOAO LUNARDELLI, 1301 - CIC  
81460-100, CURITIBA  
BRAZIL  
Tel: +55-41-33165200  
Fax: +55-41-33165201

**E-mail address**

vendas.peroxidos@solvay.com

**1.4 Emergency telephone number**

+44(0)1235 239 671 [CareChem 24]

**SECTION 2: Hazards identification****2.1 Classification of the substance or mixture****GHS Classification (UN)**

Acute toxicity, Category 4	H302: Harmful if swallowed.
Skin irritation, Category 2	H315: Causes skin irritation.
Serious eye damage, Category 1	H318: Causes serious eye damage.
Specific target organ toxicity - single exposure, Category 3	H335: May cause respiratory irritation. (Respiratory system)
Short-term (acute) aquatic hazard, Category 2	H401: Toxic to aquatic life.

## 2.2 Label elements

### GHS label elements (UN)

#### Hazardous products which must be listed on the label

- CAS-No. 7722-84-1 hydrogen peroxide

#### Pictogram



#### Signal word

- Danger

#### Hazard statements

- H302 Harmful if swallowed.
- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H335 May cause respiratory irritation.
- H401 Toxic to aquatic life.

#### Precautionary statements

##### General

- None

##### Prevention

- P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
- P264 Wash skin thoroughly after handling.
- P270 Do not eat, drink or smoke when using this product.
- P271 Use only outdoors or in a well-ventilated area.
- P273 Avoid release to the environment.
- P280 Wear protective gloves/ eye protection/ face protection.

##### Response

- P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.
- P302 + P352 IF ON SKIN: Wash with plenty of water.
- P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.
- P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.
- P332 + P313 If skin irritation occurs: Get medical advice/ attention.

##### Storage

- P403 + P233 Store in a well-ventilated place. Keep container tightly closed.
- P405 Store locked up.

##### Disposal

- P501 Dispose of contents/ container to an approved waste disposal plant.

## 2.3 Other hazards which do not result in classification

None known.

## SECTION 3: Composition/information on ingredients

### 3.1 Substance

- Not applicable, this product is a mixture.

**3.2 Mixture**

- Chemical name Hydrogen peroxide
- Synonyms Hydroperoxide, Hydrogen dioxide
- Formula H<sub>2</sub>O<sub>2</sub>

## Information on Components and Impurities

Chemical name	CAS-No.	GHS Classification	Concentration [%]
hydrogen peroxide	CAS-No. : 7722-84-1	Oxidizing liquids, Category 1 ; H271 Acute toxicity, Category 4 ; H302 Skin corrosion, Sub-category 1A ; H314 Serious eye damage, Category 1 ; H318 Specific target organ toxicity - single exposure, Category 3 ; H335 Short-term (acute) aquatic hazard, Category 2 ; H401 Long-term (chronic) aquatic hazard, Category 3 ; H412  <b>Specific concentration limit:</b>  C: $\geq 70$ %, Oxidizing liquids, Category 1 ; H271 C: 50 - < 70 %, Oxidizing liquids, Category 2 ; H272 C: $\geq 70$ %, Skin corrosion, Category 1A ; H314 C: 50 - < 70 %, Skin corrosion, Category 1B ; H314 C: 35 - < 50 %, Skin irritation, Category 2 ; H315 C: 8 - < 50 %, Serious eye damage, Category 1 ; H318 C: 5 - < 8 %, Eye irritation, Category 2 ; H319 C: $\geq 35$ %, Specific target organ toxicity - single exposure, Category 3 ; H335 C: $\geq 63$ %, Long-term (chronic) aquatic hazard, Category 3 ; H412 C: $\geq 63$ %, Long-term (chronic) aquatic hazard, Category 4 ; Not classified	35

For the full text of the H-Statements mentioned in this Section, see Section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### General advice

- Show this safety data sheet to the doctor in attendance.

P02000039530

Version : 3.00 / Z\_UN ( EN )

www.solvay.com

**In case of inhalation**

- Move to fresh air.
- Oxygen or artificial respiration if needed.
- Victim to lie down in the recovery position, cover and keep him warm.
- Call a physician immediately.

**In case of skin contact**

- Remove and wash contaminated clothing before re-use.
- Wash off with soap and water.
- If symptoms persist, call a physician.

**In case of eye contact**

- Call a physician or poison control centre immediately.
- Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
- In the case of difficulty of opening the lids, administer an analgesic eye wash (oxybuprocaine).
- Take victim immediately to hospital.

**In case of ingestion**

- Call a physician or poison control centre immediately.
- Take victim immediately to hospital.
- If swallowed, rinse mouth with water (only if the person is conscious).
- Do NOT induce vomiting.
- Artificial respiration and/or oxygen may be necessary.
  
- If victim is unconscious:
  - Artificial respiration and/or oxygen may be necessary.
  
- If victim is conscious:
  - If swallowed, rinse mouth with water (only if the person is conscious).
  - Do NOT induce vomiting.

**4.2 Most important symptoms and effects, both acute and delayed****In case of inhalation****Symptoms**

- Breathing difficulties
- Cough
- pulmonary oedema
- Nausea
- Vomiting

**Effects**

- Corrosive to respiratory system.

***Repeated or prolonged exposure***

- Nose bleeding
- Risk of chronic bronchitis

**In case of skin contact****Symptoms**

- Redness
- Swelling of tissue

**Effects**

- Prolonged skin contact may cause skin irritation.

**In case of eye contact****Symptoms**

- Redness
- Lachrymation

- Swelling of tissue

**Effects**

- Corrosive
- Causes severe burns.
- Small amounts splashed into eyes can cause irreversible tissue damage and blindness.

**In case of ingestion****Symptoms**

- Nausea
- Abdominal pain
- Bloody vomiting
- Diarrhoea
- Suffocation
- Cough
- Severe shortness of breath

**Effects**

- If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the oesophagus and the stomach.
- Risk of respiratory disorder

**4.3 Indication of any immediate medical attention and special treatment needed****Notes to physician**

- Take victim immediately to hospital.
- Immediate medical attention is required.
- Consult with an ophthalmologist immediately in all cases.
- If swallowed
- Avoid gastric lavage (risk of perforation).
- Keep under medical supervision for at least 48 hours.

**SECTION 5: Firefighting measures****5.1 Extinguishing media****Suitable extinguishing media**

- Water
- Water spray

**Unsuitable extinguishing media**

- None

**5.2 Special hazards arising from the substance or mixture**

- Decomposition will cause oxygen release which may intensify fire
- Contact with combustible material may cause fire.
- Contact with flammables may cause fire or explosions.
- Risk of explosion if heated under confinement.

**5.3 Advice for firefighters****Special protective equipment for firefighters**

- In the event of fire, wear self-contained breathing apparatus.
- Use personal protective equipment.
- Wear chemical resistant oversuit

**Further information**

- Keep product and empty container away from heat and sources of ignition.
- Keep containers and surroundings cool with water spray.

- Approach from upwind.
- Prevent fire extinguishing water from contaminating surface water or the ground water system.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

#### Advice for non-emergency personnel

- Evacuate personnel to safe areas.
- Keep people away from and upwind of spill/leak.

#### Advice for emergency responders

- Use personal protective equipment.
- Drying of this product on clothing or combustible materials may cause fire.
- Keep wetted with water.
- Prevent further leakage or spillage.
- Keep away from incompatible products

### 6.2 Environmental precautions

- Should not be released into the environment.
- If the product contaminates rivers and lakes or drains inform respective authorities.

### 6.3 Methods and materials for containment and cleaning up

- Dilute with plenty of water.
- Dam up.
- Do not mix waste streams during collection.
- Soak up with inert absorbent material.
- Keep in properly labelled containers.
- Keep in suitable, closed containers for disposal.
- Never return spills in original containers for re-use.
- Treat recovered material as described in the section "Disposal considerations".

### 6.4 Reference to other sections

- Refer to protective measures listed in sections 7 and 8.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

- Use only in well-ventilated areas.
- Before all operations, passivate the piping circuits and vessels according to the procedure recommended by the producer.
- Use only clean and dry utensils.
- Never return unused material to storage receptacle.
- Keep away from heat.
- Avoid inhalation, ingestion and contact with skin and eyes.
- Keep away from incompatible products

**Hygiene measures**

- Ensure that eyewash stations and safety showers are close to the workstation location.
- Take off contaminated clothing and shoes immediately.
- Wash contaminated clothing before re-use.
- When using do not eat, drink or smoke.
- Wash hands before breaks and at the end of workday.
- Handle in accordance with good industrial hygiene and safety practice.

**7.2 Conditions for safe storage, including any incompatibilities****Technical measures/Storage conditions**

- Keep only in the original container.
- Store in a receptacle equipped with a vent.
- Store in a well-ventilated place. Keep cool.
- Keep in properly labelled containers.
- Keep container closed.
- Keep in a banded area.
- Keep away from heat/sparks/open flames/hot surfaces. No smoking.
- Regularly check the condition and temperature of the containers.
  
- Keep away from:
- Incompatible products

**Packaging material****Suitable material**

- aluminium 99,5 %
- stainless steel 304L / 316L
- Approved grades of HDPE.

**7.3 Specific end use(s)**

- Contact your supplier for additional information

**SECTION 8: Exposure controls/personal protection****8.1 Control parameters****Components with other occupational exposure limits**

Components	Value type	Value	Basis
Hydrogen peroxide	TWA	1 ppm	USA. ACGIH Threshold Limit Values (TLV)



## 8.2 Exposure controls

### Control measures

#### **Engineering measures**

- Provide adequate ventilation.
- Apply technical measures to comply with the occupational exposure limits.

### Individual protection measures

#### **Respiratory protection**

- Use respirator when performing operations involving potential exposure to vapour of the product.
- When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
- Respirator with a vapour filter (EN 141)
- Recommended Filter type: ABEK-P2
- Self-contained breathing apparatus in case of: 1) large uncontrolled emissions, 2) insufficient oxygen, 3) the mask and cartridge do not give adequate protection.

#### **Hand protection**

- Impervious gloves
- Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact).

#### ***Suitable material***

- PVC
- Natural Rubber
- butyl-rubber
- Nitrile rubber

#### **Eye protection**

- Chemical resistant goggles must be worn.
- If splashes are likely to occur, wear:
  - Tightly fitting safety goggles
  - Face-shield

#### **Skin and body protection**

- Impervious clothing
- If splashes are likely to occur, wear:
  - Chemical resistant apron
  - Boots
- Suitable material
  - PVC
  - Natural Rubber

#### **Hygiene measures**

- Ensure that eyewash stations and safety showers are close to the workstation location.
- Take off contaminated clothing and shoes immediately.
- Wash contaminated clothing before re-use.
- When using do not eat, drink or smoke.
- Wash hands before breaks and at the end of workday.
- Handle in accordance with good industrial hygiene and safety practice.

**Environmental exposure controls**

- Dispose of rinse water in accordance with local and national regulations.

**SECTION 9: Physical and chemical properties****9.1 Information on basic physical and chemical properties**

<b><u>Appearance</u></b>	<b><u>Physical state:</u></b> liquid <b><u>Colour:</u></b> colourless
<b><u>Odour</u></b>	pungent
<b><u>Odour Threshold</u></b>	No data available
<b><u>Molecular weight</u></b>	34 g/mol
<b><u>pH</u></b>	2.0 ( 21 °C) H2O2 50 %  pKa: 11.6 ( 25 °C)
<b><u>Melting point/freezing point</u></b>	<b><u>Freezing point:</u></b> -33 °C H2O2 35 %
<b><u>Initial boiling point and boiling range</u></b>	<b><u>Boiling point/boiling range:</u></b> 108 °C H2O2 35 %
<b><u>Flash point</u></b>	does not flash
<b><u>Evaporation rate (Butylacetate = 1)</u></b>	No data available
<b><u>Flammability (liquids)</u></b>	The product is not flammable.
<b><u>Flammability/Explosive limit</u></b>	<b><u>Explosiveness:</u></b> Not explosive  With certain materials (see section 10).
<b><u>Auto-ignition temperature</u></b>	The product is not flammable.
<b><u>Vapour pressure</u></b>	1 hPa ( 30 °C) H2O2 50 %
<b><u>Vapour density</u></b>	1 H2O2 50 %
<b><u>Density</u></b>	<b><u>Bulk density:</u></b> Not applicable
<b><u>Relative density</u></b>	1.1 - 1.2
<b><u>Solubility</u></b>	<b><u>Water solubility:</u></b> completely soluble
<b><u>Partition coefficient: n-octanol/water</u></b>	log Pow: -1.57 Method: Calculation method

<b><u>Decomposition temperature</u></b>	>= 60 °C Self-Accelerating decomposition temperature (SADT)
<b><u>Decomposition temperature</u></b>	< 60 °C Slow decomposition
<b><u>Viscosity</u></b>	<u>Viscosity, dynamic</u> : 1.17 mPa.s ( 20 °C) H2O2 50 %
<b><u>Explosive properties</u></b>	No data available
<b><u>Oxidizing properties</u></b>	Not considered as oxidizing

**9.2 Other information**

<b><u>Henry's Constant</u></b>	0.00075 Pa.m <sup>3</sup> /mol (20 °C) not significant, Air, Volatility
<b><u>Surface tension</u></b>	75.6 mN/m ( 20 °C) H2O2 50 %

**SECTION 10: Stability and reactivity****10.1 Reactivity**

- Contact with other material may cause fire.
- Decomposes on heating with potential large quantities of gas release (oxygen).
- Potential for exothermic hazard

**10.2 Chemical stability**

- Stable under recommended storage conditions.

**10.3 Possibility of hazardous reactions**

- Contact with combustible material may cause fire.
- Contact with flammables may cause fire or explosions.
- Contact with incompatible material may cause exothermic decomposition with gas release.
- Risk of explosion if heated under confinement.
- Fire or intense heat may cause violent rupture of packages.

**10.4 Conditions to avoid**

- Contamination
- To avoid thermal decomposition, do not overheat.

**10.5 Incompatible materials**

- Acids
- Bases
- Metals
- Heavy metal salts
- Powdered metal salts
- Reducing agents
- Organic materials
- Flammable materials

**10.6 Hazardous decomposition products**

P02000039530  
Version : 3.00 / Z\_UN ( EN )

www.solvay.com

- Oxygen

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

##### **Acute oral toxicity**

Acute toxicity estimate : 431 mg/kg - Rat , male and female  
Test substance: Hydrogen peroxide  
Unpublished reports

##### **Acute inhalation toxicity**

LC50 - 4 h ( vapour ) > 0.17 mg/l - Rat  
Test substance: Hydrogen peroxide  
No mortality observed at this concentration.  
Unpublished reports

##### **Acute dermal toxicity**

Acute toxicity estimate 6,440 mg/kg - Rabbit  
Test substance: Hydrogen peroxide  
Unpublished reports

##### **Acute toxicity (other routes of administration)**

No data available

#### Skin corrosion/irritation

Causes skin irritation.

#### Serious eye damage/eye irritation

Causes serious eye damage.

#### Respiratory or skin sensitisation

hydrogen peroxide

Does not cause skin sensitisation.  
not sensitising

#### Mutagenicity

##### **Genotoxicity in vitro**

hydrogen peroxide

Ames test  
with and without metabolic activation

positive  
Published data

Chromosome aberration test in vitro  
with and without metabolic activation

positive  
Unpublished reports

##### **Genotoxicity in vivo**

hydrogen peroxide

In vivo micronucleus test - Mouse  
Oral  
Method: OECD Test Guideline 474

negative  
Unpublished reports

**Carcinogenicity**

hydrogen peroxide No data available

**Toxicity for reproduction and development****Toxicity to reproduction/Fertility**

hydrogen peroxide No toxicity to reproduction

**Developmental Toxicity/Teratogenicity**

hydrogen peroxide No toxicity to reproduction

**STOT****STOT - single exposure**

hydrogen peroxide Exposure routes: Inhalation  
Target Organs: Respiratory Tract  
May cause respiratory irritation.

**STOT - repeated exposure**

hydrogen peroxide The substance or mixture is not classified as specific target organ toxicant, repeated exposure according to GHS criteria.

hydrogen peroxide

Inhalation (vapour) 90-day - Rat  
NOAEC: 7 ppm  
Target Organs: Respiratory Tract  
Method: OECD Test Guideline 413  
Unpublished reports

90-day - Rat  
NOAEL: 100 ppm  
Target Organs: Gastrointestinal tract  
Method: OECD Test Guideline 408  
drinking water  
Unpublished reports

**Experience with human exposure**

No data available

**Aspiration toxicity**

No data available

**SECTION 12: Ecological information****12.1 Toxicity****Aquatic Compartment****Acute toxicity to fish**

hydrogen peroxide LC50 - 96 h : 16.4 mg/l - Pimephales promelas (fathead minnow)  
semi-static test  
Analytical monitoring: yes

Unpublished internal reports  
Harmful to fish.

**Acute toxicity to daphnia and other aquatic invertebrates**

hydrogen peroxide EC50 - 48 h : 2.4 mg/l - Daphnia pulex (Water flea)  
 semi-static test  
 Analytical monitoring: yes  
 Unpublished internal reports  
 Toxic to aquatic invertebrates.

**Toxicity to aquatic plants**

hydrogen peroxide ErC50 - 72 h : 2.62 mg/l - Skeletonema costatum (marine diatom)  
 static test  
 Analytical monitoring: yes  
 Unpublished internal reports  
 Toxic to algae.

**Toxicity to microorganisms**

hydrogen peroxide EC50 - 0.5 h : 466 mg/l - activated sludge  
 static test  
 Analytical monitoring: yes  
 Method: OECD Test Guideline 209  
 Unpublished internal reports

**Chronic toxicity to fish**

No data available

**Chronic toxicity to daphnia and other aquatic invertebrates**

hydrogen peroxide NOEC: 0.63 mg/l - 21 Days - Daphnia magna (Water flea)  
 flow-through test  
 Analytical monitoring: yes  
 Published data  
 Harmful to aquatic invertebrates with long lasting effects.

**12.2 Persistence and degradability****Abiotic degradation**

No data available

**Physical- and photo-chemical elimination**

No data available

**Biodegradation**

**Biodegradability**  
 hydrogen peroxide

Ready biodegradability study:  
 Method: Degradation in sewage treatment plants  
 The substance fulfills the criteria for ultimate aerobic biodegradability and ready biodegradability  
 Inoculum: activated sludge  
 Unpublished internal reports

**Degradability assessment**

hydrogen peroxide

The product is considered to be rapidly degradable in the environment

**12.3 Bioaccumulative potential****Partition coefficient: n-octanol/water**

hydrogen peroxide

Not potentially bioaccumulable

**Bioconcentration factor (BCF)**

hydrogen peroxide

Not potentially bioaccumulable

**12.4 Mobility in soil****Adsorption potential (Koc)**

hydrogen peroxide

Adsorption/Soil  
Koc: 1.58  
Log Koc: 0.2  
Method: Structure-activity relationship (SAR)  
Unpublished reports

**Known distribution to environmental compartments**

hydrogen peroxide

Ultimate destination of the product : Water

**12.5 Results of PBT and vPvB assessment**

This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT).

This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

**12.6 Other adverse effects****Ecotoxicity assessment****Short-term (acute) aquatic hazard**

hydrogen peroxide

Toxic to aquatic life.

**Long-term (chronic) aquatic hazard**

hydrogen peroxide

Harmful to aquatic life with long lasting effects.

**SECTION 13: Disposal considerations****13.1 Waste treatment methods****Product Disposal**

- Limited quantity
- Dilute with plenty of water.
- Flush into sewer with plenty of water.
- Maximum quantity
- Contact manufacturer.
- Contact waste disposal services.
- In accordance with local and national regulations.

**Advice on cleaning and disposal of packaging**

- Empty containers.
- Clean container with water.
- Dispose of rinse water in accordance with local and national regulations.
- Where possible recycling is preferred to disposal or incineration.
- In accordance with local and national regulations.

**SECTION 14: Transport information****ADR**

<b>14.1 UN number</b>	UN 2014
<b>14.2 Proper shipping name</b>	HYDROGEN PEROXIDE, AQUEOUS SOLUTION
<b>14.3 Transport hazard class</b>	5.1
Subsidiary hazard class:	8
Label(s):	5.1 (8)
<b>14.4 Packing group</b>	
Packing group	II
Classification Code	OC1
<b>14.5 Environmental hazards</b>	NO
<b>14.6 Special precautions for user</b>	
Tunnel restriction code	(E)
Hazard Identification Number:	58

For personal protection see section 8.

**RID**

<b>14.1 UN number</b>	UN 2014
<b>14.2 Proper shipping name</b>	HYDROGEN PEROXIDE, AQUEOUS SOLUTION
<b>14.3 Transport hazard class</b>	5.1
Subsidiary hazard class:	8
Label(s):	5.1 (8)
<b>14.4 Packing group</b>	
Packing group	II
Classification Code	OC1
<b>14.5 Environmental hazards</b>	NO
<b>14.6 Special precautions for user</b>	

For personal protection see section 8.



**IMDG**

<b>14.1 UN number</b>	UN 2014
<b>14.2 Proper shipping name</b>	HYDROGEN PEROXIDE, AQUEOUS SOLUTION
<b>14.3 Transport hazard class</b>	5.1
Subsidiary hazard class:	8
Label(s):	5.1 (8)
<b>14.4 Packing group</b>	
Packing group	II
<b>14.5 Environmental hazards</b>	NO
<b>Marine pollutant</b>	
<b>14.6 Special precautions for user</b>	
EmS	F-H , S-Q

For personal protection see section 8.

**14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

No data available

**IATA**

<b>14.1 UN number</b>	UN 2014
<b>14.2 Proper shipping name</b>	HYDROGEN PEROXIDE, AQUEOUS SOLUTION
<b>14.3 Transport hazard class</b>	5.1
Subsidiary hazard class:	8
Label(s):	5.1 (8)
<b>14.4 Packing group</b>	
Packing group	II
<b>14.5 Environmental hazards</b>	NO
<b>14.6 Special precautions for user</b>	
Packing instruction (cargo aircraft)	554
Max net qty/pkg	5.00 L
Packing instruction (passenger aircraft)	550
Max net qty/pkg	1.00 L

Remarks : IATA: permitted under 40%

For personal protection see section 8.

Note: The above regulatory prescriptions are those valid on the date of publication of this sheet. Given the possible evolution of transport regulations for hazardous materials, it would be advisable to check their validity with your sales office.

**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****Local regulations**

No data available

**Notification status**

<b>Inventory Information</b>	<b>Status</b>
United States TSCA Inventory	- Listed on Inventory
Canadian Domestic Substances List (DSL)	- Listed on Inventory
Australia Inventory of Chemical Substances (AICS)	- Listed on Inventory
Japan. CSCL - Inventory of Existing and New Chemical Substances	- Listed on Inventory
Korea. Korean Existing Chemicals Inventory (KECI)	- Listed on Inventory
China. Inventory of Existing Chemical Substances in China (IECSC)	- Listed on Inventory
Philippines Inventory of Chemicals and Chemical Substances (PICCS)	- Listed on Inventory
Taiwan Chemical Substance Inventory (TCSI)	- Listed on Inventory
EU. European Registration, Evaluation, Authorisation and Restriction of Chemical (REACH)	- When purchased from a European Solvay legal entity, this product is compliant with the registration provisions of the REACH Regulation (EC) No. 1907/2006 as all its components are either excluded, exempt, and/or registered. When purchased from a legal entity outside of Europe, please contact your local representative for additional information.

**SECTION 16: Other information****Full text of H-Statements**

- H271 May cause fire or explosion; strong oxidiser.
- H302 Harmful if swallowed.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H335 May cause respiratory irritation.
- H401 Toxic to aquatic life.
- H412 Harmful to aquatic life with long lasting effects.

**Key or legend to abbreviations and acronyms used in the safety data sheet**

- TWA 8-hour, time-weighted average

**Further information**

- Update
- See section 1
- Distribute new edition to clients

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. Such information is only given as a guidance to help the user handle, use, process, store, transport, dispose and release the product in satisfactory safety conditions and is not to be considered as a warranty or quality specification. It should be used in conjunction with technical sheets but do not replace them. Thus, the information only relates to the designated specific product and may not be applicable if such product is used in combination with other materials or in any other manufacturing process, unless otherwise specifically indicated. It does not release the user from ensuring he is in conformity with all regulations linked to its activity.